

A Finescale Lagrangian Instrument System

John M. Toole

Physical Oceanography Department, MS 21

Woods Hole Oceanographic Institution

Woods Hole, MA 02543

phone: (508) 289-2531 fax: (508) 457-2181 email: jtoole@whoi.edu

Award Number: N00014-01-1-0163

http://hrp.whoi.edu/mprof/mp_main_page.html

LONG-TERM GOALS

A long range goal of my research is to understand the processes that control diapycnal mixing in the ocean (with particular emphasis on the mixing supported by internal wave breaking), and the consequences of that mixing for the ocean's general circulation.

OBJECTIVES

Our recent work has revealed a strong relationship between internal wave energy levels and the intensity of turbulent mixing in the ocean interior, with evidence for enhanced internal wave and turbulence levels in proximity to irregular bottom topography and within gravity currents downstream from bathymetric sills. Distorted/enhanced internal wave fields and elevated levels of mixing have also been observed near the ocean's free surface. Quantifying the characteristics of the finescale motions in these domains has proven difficult using conventional (bottom-anchored) instrumentation owing in part to the complicating aspect of horizontal advection. The present grant is supporting the testing of a new deployment scheme for the Moored Profiler instrument (a newly operational system developed in part with past support from ONR) in which the Profiler operates on a freely-drifting vertical tether. We hope that finescale velocity, temperature and salinity observations in a Lagrangian framework obtained by the new measurement system will help us better diagnose the physical processes driving the mixing in these regions. Our immediate objective is to quantify the behavior of the Moored Profiler instrument in this new deployment configuration to determine if it will be appropriate for future scientific investigations.

APPROACH

To advance understanding of ocean finescale motions responsible for diapycnal mixing, we wish to acquire time series of finescale shear with temperature, salinity and density information at high vertical resolution following water parcels. Over the last ten years with support from the National Science Foundation, Office of Naval Research, and National Oceanic and Atmospheric Administration, we have developed a new autonomous instrument able to repeatedly traverse a vertical mooring wire carrying sensors through the water column: the Moored Profiler (Doherty *et al.*, 1999; Toole *et al.*, 1999; Morrison *et al.*, 2000, 2001). Prototype instruments fitted with a CTD for measuring ocean temperature and salinity versus pressure, and an acoustic current meter (ACM) that measures ocean currents, were first deployed in support of science during our Littoral Internal Wave Initiative TWIST experiment (Turbulence and Waves over Irregular Sloping Topography).

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 2001		2. REPORT TYPE		3. DATES COVERED 00-00-2001 to 00-00-2001	
4. TITLE AND SUBTITLE A Finescale Lagrangian Instrument System				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Physical Oceanography Department, MS 21,,Woods Hole Oceanographic Institution,,Woods Hole,,MA, 02543				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT A long range goal of my research is to understand the processes that control diapycnal mixing in the ocean (with particular emphasis on the mixing supported by internal wave breaking), and the consequences of that mixing for the ocean's general circulation.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 6	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

In our analyses of Moored Profiler data, we have found that the effects of horizontal advection makes interpretation of the finescale motions difficult. For example, internal lee waves appear stationary in a coordinate system fixed to the ocean floor, and are thus missed in the usual finescale analysis approach of studying anomalies from time means. A more natural coordinate system to observe finescale motions is one that moves with the water column. The present grant is supporting testing and evaluation of a new deployment scheme for the Moored Profiler in which the vehicle cycles up and down a freely-drifting vertical tether. We call this assembly the Finescale Lagrangian Instrument System (FILIS).

Three possible FILIS deployment schemes are envisioned: a tether drifting just below the free surface to study air–sea interaction and mixed-layer evolution, a neutrally buoyant tether drifting mid-water-column to investigate ocean interior internal waves, and a tether skipping along the bottom to investigate dense overflows. Motivated by ideas for a future Eighteen-Degree Water experiment, we are first testing the near-surface scheme (Figure 1). This design was fine-tuned with guidance from a mooring dynamics analysis carried out by Dan Frye and Jason Gobat. Rick Trask and Jim Dunn are presently constructing the tether depicted schematically in the figure, and Steve Liberatore is preparing a WHOI prototype Moored Profiler for a short (few-day) trial deployment off Bermuda in conjunction with colleagues involved in the Bermuda Atlantic Time Series (BATS) program. We plan to have Scott Worriow join the BATS cruise of early November, 2001 and deploy the FILIS for an initial test. Analysis of the resulting data will be carried out to establish the behavior of the Moored Profiler vehicle on this tether arrangement.

WORK COMPLETED

Scheduling of the test deployment was constrained by the availability of Moored Profiler instruments; our present inventory of instruments are in heavy demand. We finally had a system returned from sea in early summer 2001 that is now being refurbished and prepared for the test deployment. The tether design (Figure 1) was recently tested theoretically (see above) and is now being assembled. We are planning to ship gear from WHOI to Bermuda in mid-October, and carry out the test deployment off Bermuda in early November.

RESULTS

Given that the field test has yet to occur, our only substantive results thus far concern the theoretical performance of the drifting tether in response to an assumed distribution of surface waves derived from application of Jason Gobat's mooring dynamics program. Those studies suggest vertical motions at the base of the 300-m tether in response to a random wave field with 8-foot significant height and 9 s dominant period will be less than 40 cm. The model analysis also predicts horizontal motions of the tether just below the flotation in these wave conditions will be ± 50 cm/s, but should decrease rapidly with depth and be negligible at the sinker weight. We believe the WHOI Moored Profiler will function satisfactorily under these conditions.

IMPACT/APPLICATIONS

Should the FILIS test prove the viability of this instrument system for examining the time evolution of the upper ocean in response to atmospheric forcing, we have ideas for using FILIS in support of a

research program to investigate formation mechanisms of Eighteen Degree Water in the eastern subtropical North Atlantic.




Figure 1. A schematic drawing of the FILIS tether that we will be evaluating in field trials off Bermuda in November 2001. The Moored Profiler instrument will cycle continuously along a 300-m length of plastic-jacketed wire rope suspended below a string of eighteen 11"-diameter plastic floats lying just below the air–sea interface. Stops at the top and bottom of the wire will limit the vertical travel of the Moored Profiler to between approximately 8 and 308 m depth. Using a standard acoustic release, a 500-pound weight will be hung off the bottom of the tether with the goal of keeping the free-drifting tether nearly vertical. Six glass balls will be mounted on a 6-m length of chain just above the release to bring the system into approximate neutral buoyancy. Locating the system during its deployment will be facilitated by a surface buoy fitted with a light, radar reflector, radio beacon and Argos satellite transmitter. The buoy will be attached to the top of the drifting tether with a 50-m length of polytron line. That line will be buoyed every 10 m with a plastic float to hold it at the surface.

TRANSITIONS

None so far.

RELATED PROJECTS

The idea for the FILIS instrument grew out of our LIWI-TWIST experiment, and other recent deep-ocean mixing experiments including our work in the Romance Fracture Zone and the Brazil Basin Tracer Release Experiment.

REFERENCES

- Doherty, K.W., D. E. Frye, S. P. Liberatore, and J. M. Toole, 1999. A moored profiling instrument. *Journal of Atmospheric and Oceanic Technology*, **16**, 1816–1829.
- Morrison, A.T. III, J. D. Billings, K. W. Doherty, and J. M. Toole, 2000. The McLane Moored Profiler: A Platform for Physical, Biological, and Chemical Oceanographic Measurements. *Proceedings of the Oceanology International 2000 Conference*, March 7–10, 2000, Brighton, UK.
- Morrison, A.T., J. M. Toole, R. Likas, S. E. Worrlow, and K.W. Doherty, 2001. Results from the first successful field deployment of the McLane Moored Profiler. *Proceedings of MTS Oceans 2001 Meeting*, Hawaii, November 2001, in press.
- Toole, J. M., K. W. Doherty, D. E. Frye, and S. P. Liberatore, 1999. Velocity measurements from a moored profiling instrument. *Proceedings of IEEE, Sixth Working Conference on Current Measurement*, March 11–13, 1999, San Diego, pp. 144–149.

PUBLICATIONS

- DiMarco, S. F., P. Chapman, W. D. Nowlin, Jr., P. Hacker, K. Donohue, M. Luther, G. C. Johnson, and J. Toole, 2001. Volume transport and property distributions of the Mozambique Channel. *Deep-Sea Research*, in press.
- Ganachaud, A., C. Wunsch, J. Marotzke and J. Toole, 2001. The meridional overturning and large-scale circulation of the Indian Ocean. *Journal of Geophysical Research*, **105**, 26,117–26,134.
- Morrison, A. T., III, J. D. Billings, K. W. Doherty and J. M. Toole, The McLane Moored Profiler: A platform for physical, biological, and chemical oceanographic measurements. *Proceedings of the Oceanology International 2000 Conference*, March 7–10, 2000, Brighton U.K.
- Morrison, A.T., J.M. Toole, R. Likas, S. E. Worrlow and K.W. Doherty, Results from the first successful field deployment of the McLane Moored Profiler. MTS Oceans 2001 meeting, Hawaii, November 2001.
- Polzin, K.L., E. Kunze, J. M. Toole and R.W. Schmitt, 2000. The partition of small-scale energy into internal waves and geostrophic motions. *Journal of Physical Oceanography*, submitted.
- St. Laurent, L. C., J. M. Toole, R. W. Schmitt, and K. L. Polzin, Buoyancy forcing by turbulence above rough topography in the abyssal Brazil Basin. *Journal of Physical Oceanography*, in press.

- Toole, J. M., and T. J. McDougall, 2001. Mixing in the ocean interior. Chapter 5.2 of *Ocean Circulation and Climate*, J. Church and G. Siedler, editors, Academic Press, San Diego, pp 337–356.
- Wijffels, S. E., J. M. Toole and R. E Davis, 2001. Revisiting the South Pacific subtropical circulation: A synthesis of World Ocean Circulation Experiment observations along 32°S. *Journal of Geophysical Research*, in press.